

JK TECH

Your Solution Partner for Interior/Surfacing Materials



ABOUT JK TECH

JK TECH in a solution partner for whom are interested in acryl sink & basin, solid surface, quartz business, which are raw material, R&D, manufacturing, global marketing & sales.



OUR BUSINESS

Our company cares about every customer's needs and the future.
Our company cares for humans and environment.

PRODUCT INFO

Satisfaction guaranteed with the best quality and the lowest price!
We will provide you a highly standard product.



About JK Tech

JK TECH was established in 2007. After having more than 21 years of R&D, manufacturing, global marketing and sales experience of the Construction materials, Solid Surface and Quartz business at the LG Chemical, we as a global solution partner company, provide what customer needs at variety of levels.

We manufacture and supply acrylic adhesive, acrylic sinks&bowls and also trade Aluminum Trihydrate(ATH), Toner and PolyVinyl Acetate films(PVA) for solid surface manufacturing, craft paper, polishing tools, and a variety of raw materials for Quartz production. We also offer a service for those who need consulting in R&D, manufacturing, marketing and sales in Solid Surface and Quartz business.

We guarantee you the most reliable and dedicated service until you find our products and service satisfying. Contact/Visit us whenever you need our help.

CEO James Jung



Manufacturing & Supply

- Acrylic Solid Surface, Adhesive, Acrylic Sinks & Bowls

Distribution & Trading

- Acrylic Solid Surface & Quartz Surface
- Raw Materials & Accessories for Solid Surface and Quartz Surface
- Machines & Tools for fabrication of Solid Surface
- Interior Film & Deco Foil (PVC/PP sheet)
- Electronic Kitchen/Home Appliances

Consulting

- M&A, R&D, Manufacturing, Sales & Marketing



2022~

Awarded \$1 Million Export Tower 2022 of Trade Day
Launch new products; Solid surface, Interior film, Deco foil, Luxury vinyl tile(LVT)

2019

Acryl bowl supplier for LOTTE CHEM

2018

Acryl bowl supplier for LG Hausys

2017

Acryl basins supplier for Krion in Spain

2014

Expanding to global solution partner for solid surface & quartz business.

2012

Started a acrylic sink & bowl production.

2009-2011

Set up a "Uni-care" for medical trading company.

2008

started a sale in acrylic adhesive for Solid Surface and Quartz

Table of Contents

JK Solid Surface	-	P. 4
- Acrylic Solid Surface Collection	-	P. 5
- Acrylic Sink/Bowl Collection	-	P. 11
- Adhesive and Accessories	-	P. 19
- Specification	-	P. 20
Solid Surface Fabrication Machine	-	P. 22
Interior Film (Architectural Film)		
- Self Adhesive Film		
- Peel & Stick	-	P. 26
- Window Film		
Luxury Vinyl Floor Tiles (LVT)	-	P. 54
Kitchen/Home Appliances	-	P. 59
Deco Foil (PVC/PP sheet, LVS)	-	P. 64

Partners of JK-Tech




JK Solid Surface

Premium Acrylic Interior Solid Surface, Sink&Bowl and Adhesives


www.jksolidsurface.com

#501, 14, Yangpyeong-ro gil, Yeongdeungpo-gu, Seoul, Korea



1. Acrylic Solid Surface Collection - 1


Millennium Collection




* Color of the above product can be different from actual color of the product

1. Acrylic Solid Surface Collection - 2

Solid - White



Solid - Translucent




Solid - Vivid




* Color of the above product can be different from actual color of the product

1. Acrylic Solid Surface Collection - 3


Granite - Small



Sand Cookie




Nantucket




Irish Sand



Golden Brown



Desert




Sand Gray



Black Pebble




Sand Bank




Navajo


Granite - Concrete




Urban Concrete




Sanded Tundra




JFC Gray



Concrete




Ebony Concrete




Metal Concrete


Pearl




Solaris



Night Pearl



Metal Gray




Pearl Gray


* Color of the above product can be different from actual color of the product

1. Acrylic Solid Surface Collection - 4

Granite - Medium




Clear - Small



* Color of the above product can be different from actual color of the product

1. Acrylic Solid Surface Collection - 5

Clear - Medium



Frost Quartz

Sun Magic


Silk Vivien

Sun Clay

Cobble Stone


Natural Sand

Sun Edge



Delta

Clear Pearl - Small




Moon Galaxy

Iris

Omega

Athena

Clear Pearl - Medium



Natural Pearl

Silver Birch

Ice Cubic

Helena

Star Queen

Star Queen Gold

Nebula

Crystal



Antartic ice

Latona

Grise

Raccoon

* Color of the above product can be different from actual color of the product


1. Acrylic Solid Surface Collection - 6

Marble




New Series Marble (To Be Updated)

- Available from 3rd Quarter of 2023 in various colors



MaxFlex Collection



* Color of the above product can be different from actual color of the product

2. Acrylic Sinks & Bowls



LAVADO
BOWL & BATHROOM COLLECTIONS



























SINK & BASINS

Spec Data

ITEM	UNIT	RESULT	REMARK
Specific Gravity	g/cm ²	1.6	ASTM D-792
Absorptance	%	0.03	ASTM D-570
Izod Strength	Kgf/cm ²	2.43	ASTM D-256
Flexural Strength	Kgf/cm ²	1.258	ASTM D-790
Barcol Strength		81	JIS K-6911
Thermal Resistance		No Defect	Thermohygrostat at 60°C 24hr after
	-	No Defect	Aluminum bowl of 100°C oil on the surface and 20min after
Impac Resistance	-	No Defect	Steel ball drop on the 1M height
Weather Ability	-	No Defect	UV at 63°C 4hr after
Fouling Resistance	-	No Defect	6 sources on the surface 24hr after







2. Acrylic Sinks & Bowls Collection - 1

Sinks









<p>JK 101 L800 X W460 X D210</p> 	<p>Top view</p> 	<p>Side cross-section</p> 	<p>JK 105 L260 X W360 X D120</p> 	<p>Top view</p> 	<p>Side cross-section</p> 
<p>JK 102 L730 X W440 X D200</p> 	<p>Top view</p> 	<p>Side cross-section</p> 	<p>JK 106 L700 X W400 X D180</p> 	<p>Top view</p> 	<p>Side cross-section</p> 
<p>JK 103 L550 X W432 X D190</p> 	<p>Top view</p> 	<p>Side cross-section</p> 	<p>JK 107 L530 X W400 X D180</p> 	<p>Top view</p> 	<p>Side cross-section</p> 
<p>JK 104 L400 X W400 X D205</p> 	<p>Top view</p> 	<p>Side cross-section</p> 	<p>JK 109 L400 X W400 X D300</p> 	<p>Top view</p> 	<p>Side cross-section</p> 

2. Acrylic Sinks & Bowls Collection - 2

Sinks



Vanity Bowls




2. Acrylic Sinks & Bowls Collection - 3

Vanity Bowls


JK 305
L474 X W274 X D116



Top view




Side cross-section




JK 310
L500 X W280 X D120



Top view




Side cross-section




JK 306
L378 X W278 X D116



Top view




Side cross-section




JK 311
L350 X W350 X D105



Top view




Side cross-section




JK 307
L500 X W350 X D115



Top view




Side cross-section




JK 309
L480 X W320 X D121




Top view



Side cross-section



WASHBASIN



PRODUCT FEATURES

Eco-friendly materials MMA and PMMA by casting process is excellent prevents contamination which has no bacterial propagation due to its uniform internal composition.


2. Acrylic Sinks & Bowls Collection - 4

Freestanding Bathtub

JK B01




Size : L 1500 x W 800 x D 520



JK B04




Size : L 1530 x W 630 x D 505



JK B02




Size : L 1580 x W 925 x D 510



JK B06




Size : L 1,570 x W 625 x D 445



JK B03




Size : L 1580 x W 925 x D 510



JK B07



Size : L 1695 x W 750 x D 580




2. Acrylic Sinks & Bowls Collection - 5

Freestanding Bathtub


JK B08



Size : L 1540 x W 750 x D 550




Bathroom – Freestanding bathtub



JK B09



Size : L 1540 x W 750 x D 550



2. Acrylic Sinks & Bowls Collection - 6




Unit Basin



COLOR


○ White

Side View & Section




JK 120

Size : L 1200 x W 550 x D 200
Sinkwide : 600




JK 240

Size : L 2400 x W 550 x D 200
Sinkwide : 1800




JK 160

Size : L 1600 x W 550 x D 200
Sinkwide : 1000




JK 270

Size : L 2700 x W 550 x D 200
Sinkwide : 2100



JK 210

Size : L 2100 x W 550 x D 200
Sinkwide : 1500




JK 320

Size : L 3200 x W 550 x D 200
Sinkwide : 2600

2. Acrylic Sinks & Bowls Collection - 7


JK 312

Size : L 600 x W 420 x D 115




JK 313

Size : L 600 x W 450 x D 130



JK 314

Size : L 520 x W 450 x D 120



JK 318

Size : L 500 x W 370 x D 145



JK 319

Size : L 500 x W 380 x D 115




JK 315


Size : L 550 x W 370 x D 140



Top view



Side cross-section



JK 316


Size : L 400 x W 400 x D 130



Top view



Side cross-section



JK 503

Size : L 1750 x W 390 x D 140



JKM 101

Size : L 860 x W 580 x D 125




JK 317


Size : L 1000 x W 545 x D 120



Top view



Side cross-section



3. Adhesive and Accessories

Cartridge Type



Advantages

- High adhesive strength
- Invisible seams
- Variety of colors
- Long Shelf-Life(5years)
- UV stability
- Auto dispensing system
- Low TVOC

Physical Properties

Description	Property	Result
Component A	Appearance	Colored viscous liquid
	Viscosity	Refer to the thixotropy
	Density	1.1 - 1.2 g/cm ³
	Shelf-Life (at max. 25°C)	5years
Component B	Appearance	Clear viscous liquid
	Viscosity	500 - 550 cps
	Density	1.1 - 1.2 g/cm ³
	Shelf-Life (at max. 25°C)	5years
Joint Adhesive Ratio 10:1 of component A and B	Working Time (at 10°C - 30°C)	8 - 20 min.
	Fixture Time (at 10°C - 30°C)	15 - 40 min.
	Weather Test	Indoor UV stability
	Recommended Operating Temperature	10°C - 30°C
	Recommended Storage Temperature	13°C - 25°C

Tube Type




Component A


Component B

Packaging

4. Specification (Acrylic Solid Surface)



Thickness	20T, 12T, 6T, 9T, 4T
Width	760mm, 930mm, 1,250mm, 1,350mm, 1,530mm
Length	2,000mm ~ 3,700mm
Remarks	Broad Width, Thickness



Strengths of Broad Width Products

- Produced without adhesives, incorporated into island kitchen
- Applied to places 760mm tall such as the information desk, etc.
- 2-step counter
- Wall Panel: (Regular Size: 760mm) 1 + a (Broad Width: 930 – Regular Width: 760)
_ Information Desk, 2-step Counter, 9T products easily applied as wall panels
- Lengths varied to meet customer needs to reduce loss

3. Specifications (Terms)

Category 1	Category 2	Availability								
Acrylic Solid Surface	Thickness(mm)	12				20	6			
	Width(mm)	760	930	1350	1530	760	760	930	1350	1530
	Length(mm)	3680	3680	3680	3680	3680	2500	2500	2500	2500
	Solid-White	0	0	0	0	0	0	0	0	0
	Solid-Translucent	0	0	0	0		0	0	0	0
	Solid-Vivid	0	0	0	0		0	0	0	0
	Granite-Small	0	0	0	0		0	0	0	0
	Granite-Concrete	0	0	0	0		0	0	0	0
	Granite-Medium	0	0	0	0					
	Pearl	0	0	0	0		0	0	0	0
	Clear-Small	0	0	0	0		0	0	0	0
	Clear-Medium	0	0	0	0					
	Clear & Pearl-Small	0	0	0	0		0	0	0	0
	Clear & Pearl-Medium	0	0	0	0					
	Crystal	0	0	0	0					
Marble	0	0	0	0						
Adhesive	Type	Cartridge								
	Size	50ml	75ml	250ml						
	Glue	0	0	0						
	Mixer Tip	0	0	0						
	Dispenser	0	0	0						
Sink/ Bowl	Model	White				Model	White			
	JK101	0				JK301	0			
	JK102	0				JK302	0			
	JK103	0				JK303	0			
	JK104	0				JK305	0			
	JK105	0				JK306	0			
	JK106	0				JK307	0			
	JK107	0				JK308	0			
	JK109	0				JK309	0			
	JK110	0				JK310	0			
	JK201	0				JK311	0			
JK202	0									

- **Production of Special Size**
 - Thickness of 9mm can be produced on demand
 - Other special size needed to be discussed
- **Shipment and Payment Term**
 - Only container base (20ft recommended)
 - 100% T/T in advance before shipment
 - FOB Busan (Korea) or CIF Main Ports in EMEA Possible
- **MOQ**
 - 40 sheets for colors from the collection
 - Quantity for 20ft container for colors specially developed on demand.
 - About 20 pcs for each model for Sink/Bowl
- **Loading of Sink/Bowls & Adhesives**

Sink/Bowls and Adhesives are usually shipped together with Solid Surface Sheets. In case that 20ft container is used, there is left space about 2m x 2m after loading Solid Surface Sheets and Sink/Bowls & Adhesives can be loaded in this area.

Loading Quantity in 20ft Container										
Acrylic Solid Surface	Thickness(mm)	12				20	6			
	Width(mm)	760	930	1350	1530	760	760	930	1350	1530
	Length(mm)	3680	3680	3680	3680	3680	2500	2500	2500	2500
	Quantity in 20ft(Sh)	300	200	100	100	150	640	640	400	400

KOMOTEK

Solid Surface Fabrication Machine Series



www.komo-tek.com



Komotek has been continued to develop thanks to its research and development in the imitation marbles field and continuous improvements, endless efforts to maintain accuracy of manufacturing technology, and the management philosophy of service for customer satisfaction, and has been recognized by the clients. Komotek Co., Ltd. would like to continue to be a imitation marble equipment brand that can be recognized not only in Korea but in the global market.



Artificial Stone Cut Saw

An equipment that cuts materials like MMA, UP, BMC into various sizes. Cuts up to 800 width and 100mm height, and the fastest cutting speed is 30 m/m per minute. Optimized cutting conditions for imitation marbles, the accuracy of tailoring, degrees of precision and vertical angle are very high. It uses one-touch saw replacement method that makes replacing the saws much easier and safer. Top press holds the product in place and the saw tailors it so the saw isn't in sight to lessen the accident rate and it's very efficient in filtering the dusts.

It can be used for multi-purpose since half-finished products like BMC can be cut.



CNC Sink Bowl Router

Equipment that processes materials such as MMA, UP, BMC, etc. to CNC 2D and 3D. This equipment is used mostly in perforating the holes for kitchen sinks that use imitation marbles. Also used for processing shapes for any kind that uses imitation marbles. Cuts up to 800 width and 100mm height, and the fastest cutting speed is about 3.5m per minute.

Optimized cutting conditions for imitation marbles, the material fixation is vacuum-clamping, and the air-ventilating hold is engineered so that it filters more than 99% of dust to make the processing environment more pleasant. Various sizes of hole sizes are pre-set to make the use easier, and anyone can use this interactive CNS controller after 30 minutes of training. It can be used for multi-purpose since half-finished products like BMC can be cut. All equipments of Komotek is optimized for imitation marble materials.



Solid Surface V-Grooving

A multiple tailoring and grooving equipment that makes V-grooves to fold imitation marble materials such as MMA, UP, BMC, etc. and also tailors the length. An equipment that cuts materials like MMA, UP, BMC into various sizes. Cutting and V-grooving up to 850 width and 20mm height, fastest cutting speed of 10 m/m per minute. Optimized cutting conditions for imitation marbles, the accuracy of tailoring, degrees of precision and vertical angle are very high.

Very efficient in filtering dust. Can be customized to various requirements. Various functions at the bottom of the equipment, such as dusting, automatic taping, and multi-blades.



Solid Surfaces Auto Feeder lift

Automatic feeding lift that feeds the imitation marble materials automatically.

When the raw materials are loaded in the palette and delivered and the materials in 800mm width x 3680 length x 700mm height (including the palette) about 3 tons in weight are put on the auto feeder by the forklift, the imitation marbles are fed one by one and lifted one by one according to the height of the feeds.



Solid Surface CNC All-in-one machine

An all-in-one sanding beveling machine that bevels the bond in the front, sides, back and left and right walls and punches the hole in the location where the sink ball gets inserted, after the tailoring and V-grooving of the top plate of kitchen sink. All programs are in interactive system that automatically processes the materials by the exterior size and control of selected functions. All-in-one CNC sanding machine used for top plates of kitchen sinks for apartments.



Artificial marble kitchen sink sanding processing line

A sanding machine that makes 550~750 wide top plates of sinks by sanding the front and sides, water holes of the front apron, the sills in the back and the left and right, and adjusting the width with the measurement controller, after the tailoring and V-grooving of the top plates of imitation marble kitchen sinks. Sanding line applicable to mass production system.




Solid Surfaces CNC 3D Machine

CNC equipment that works on 2D process to make casts before working on imitation marble molding or 3D process after molding or gluing of imitation marbles.

For more information , please refer to ‘KOMOTEK Catalog’

2. Installation Layout



SOIF Interior Film

Interior Film (Architectural Film) – Self Adhesive Film

SAMSUNG INTERIOR FILM CO., LTD

<http://www.samsungfilm.co.kr>

JK Tech. Co., Ltd

- SOIF Official Distribution Partner




SOFT
ORIGINAL
INTERIOR
FILM

Where there is ART there is SOIF



ABOUT INTERIOR FILM

Interior Film is decorative architectural films with pressure sensitive adhesive (a self-adhesive decorative films) with excellent design quality, durability, and water resistance. With a rich variety, Soif Interior Film has been used more than a decade in a variety of applications around the world, ranging from interior of buildings to fittings, furniture, wall panels



1. Efficiency

Compared with existing surface finishes, installation is easier, which reduces work schedules. The precision of the work is improved. It is also efficient as it can be easily changed if it needs to be changed or repaired.

2. Design originality

Natural wood grain type and More.

It is possible to produce various colors, Patterns and surface textures such as high-quality metal type, leather and suede texture type.

3. Convenience

Excellent adhesion due to special adhesive treatment for applying on flat and curved surfaces.

4. Durability

Excellent durability against impact, friction, and scratches. Excellent dimension stability against changes in heat, temperature and humidity, and contamination resistance from solvents and chemicals.

5. Excellent flame retardancy & safety




It is a product that passed strict fire-prevention inspection of the KOREA FIRE INSTITUTE.

BOX INFORMATION

M	Kg	W	T
50	28	1.220mm	0.42mm

STANDARD PACKAGE (EXPORT)

Pallet	Container	Stack-Up
20 Box	16 PLT	2



ECO-FRIENDLY SOIF



INDOOR BUILDING MATERIALS TESTED

Building materials for indoor use is granted. (Formaldehyde, toluene and volatile organic compounds TVOC, etc. Test three kinds of emissions to determine their suitability.)



ANTI-BACTERIA FILM

Anti-bacteria safety solutions

A more comfortable and safe space with a soif antimicrobial safety solution can be directed (check out the Soif Anti-bacteria logo family, which is certified for antimicrobial performance)



한국도유영양수개발

Selected as a promising enterprise in South Korea

For more than 10 years, we have been a companion for community and social development. Maintaining sustainable management, we understand our most valuable assets are our people, that's why we have focused heavily on development and maintenance programs for our employees.

Eco-friendly SOIF

Soif interior film is an eco-friendly surface finish material that has passed various tests. Its natural composition, along with our wide range of designs, makes us the leading provider in Eco Friendly, Sustainable Film.



BESPOKE LANTERN DESIGNS

Samsung Film has developed its own design and has a unique lantern design. In 2020, we were certified as an excellent company in technology evaluation.



Excellent Flame-retardant performance & safety


This product has passed the strict flame-retardant test of the Fire Industry Institute of Technology. (Korea) Excellent flame-retardant performance and stability protects you and your property.



Flame-retardant & Eco-Certified from Spain

It is a fire and eco-friendly certification related to Spain building materials. SOIF products are gas-free, formaldehyde and eco-friendly building materials Tested and verified for safety. (ENAC Verification Number 2019AN3043)


2. Applications



YG/YF-4502



CG/CF-5511







PRODUCT DESCRIPTION
SAMSUNG INTERIOR FILM : SOIF GLOBAL



Material	PVC, monomeric calendered film
Adhesive	Acrylic (free of solvent), environmentally friendly
Adhesive protective foil (Backing Paper)	Paper, 120 g/m ² printed with a grid of centimeters
Roll Size :	122 cms width x 50 mt / roll Shrunken with a PE-foil

Packing info.:

Label is placed inside top of the core and carries reference number and date of production.

The packaging carton is printed and equipped with a white label containing reference number, date of production and quantity.

Package info.: 1 roll / carton box

Standard Length (m)	50m	Width (mm)	1,220mm
Total Weight (kg/Box)A	32kg	*Flame Retardant grade	
Total Weight (kg/Box)B	28kg	*REGULAR grade	
Thickness (mm)	0.42mm	*Vary by Emboss	
Base Material	PVC		

For more information (including colors and technical data), please refer to 'Soif Introduction' & 'Soif E-Catalog Vol.7'

INFEEL Interior Film

Architectural Interior Film – Premium Self Adhesive Film



HYUNDAE *sheet*

www.hyundaesheet.co.kr

JK Tech. Co., Ltd


- INFEEL Official Distribution Partner

infeel



ABOUT INTERIOR FILM

Interior Film is decorative architectural films with pressure sensitive adhesive (a self-adhesive decorative films) with excellent design quality, durability, and water resistance. With a rich variety, Interior Film has been used more than a decade in a variety of applications around the world, ranging from interior of buildings to fittings, furniture, wall panels



1. Efficiency

Compared with existing surface finishes, installation is easier, which reduces work schedules. The precision of the work is improved. It is also efficient as it can be easily changed if it needs to be changed or repaired.

2. Design originality

Natural wood grain type and More.

It is possible to produce various colors, Patterns and surface textures such as high-quality metal type, leather and suede texture type.

3. Convenience


Excellent adhesion due to special adhesive treatment for applying on flat and curved surfaces.

4. Durability

Excellent durability against impact, friction, and scratches. Excellent dimension stability against changes in heat, temperature and humidity, and contamination resistance from solvents and chemicals.



Solid Series



© SE 281 © SE 280

SD 870

© SM 885 © SM 882

MD 418

Metal Series



MT 232

MS 224

ST 845

EH 133

NI 987

Wood Series



MW 190




WD 188



LW 999



LW 241



LW 477

Fabric Series



FB 997



LW 354



© AB 010 · © PW 436



· 삶의 공간을
보다 아름답게 바꾸는
행복한 변화 ·

|
infeel

FIXPIX Decorative Sheets & Stickers

DIY Interior Decoration Sheets & Stickers – Peel & Stick

HYUNDAE *sheet*

www.hyundaesheet.co.kr

JK Tech. Co., Ltd

- FIXPIX Official Distribution Partner



Peel & Stick

DIY 점착시트란?

뒷면에 점착(adhesive)처리가 되어있어, 붙이고자 하는 면에 손쉽게 붙여 쓸 수 있는 가장 보편적인 DIY 제품입니다.
Adhesive on the back if you're in the process is, putting party The most common DIY products which can be easily attached.

집단장, 이사할 때 가구 리폼할 때 편리하게 사용할 수 있는 점착시트. 손쉽게 집안 분위기를 바꿔볼 수 있습니다.
3가지만 기억하세요! 이형지를 제거하고, 벽면에 붙인 후 마무리!


Chapter population, adhesive that can be used to conveniently furniture renovation when moving sheet. You can easily view a family atmosphere changed.
Just remember three things! Remove the release paper pasted on the wall after finishing!



점착시트 장점

- 물도 필요없는 스티커 타입
- 인테리어 데코 & DIY 리폼
- 친환경 제품
- 방수 기능
- 물로 쉽게 닦아 낼 수 있음
- 인테리어 리폼 시간 단축
- 넌데노스 누구나 간편시공
- 공방이 필요

제품 구조



WALL DECORATION SHEET SERIES

1

We introduce you to a series of wall decoration sheets, which you can quickly and easily apply to your old and worn wall, rather than having to go through the complicated steps when installing wallpaper. You can also easily remove the wall sheets unlike normal wallpaper. As they come with an adhesive layer, you do not need any glue. Whether you're young or old, male or female, anyone can apply these wall sheets. Moreover, the wall sheets can be easily wiped clean with a damp cloth. Wall sheets can be applied anywhere so feel free to install them in children's rooms, living rooms, corridors or even in kitchens.

Point Sheet

If you want to create a new atmosphere yet do not want to spend your time installing wallpaper, you can use Point Sheets which are very easy to apply. They can truly create that unique interior decoration.

Purpose of Use : walls / closets, desks, display cupboards and any other furniture / various props / doors / sinks etc.
(W) 50cm x (L) 2.5m / (W) 50cm x (L) 15m / (W) 100cm x (L) 30m




1. Introduction (Wall Decoration)

FIXPIX DIY Decorative Sheets & Stickers

Eco-friendly Point Sheet

When you want to transform the ambience and look of a room, our Point Sheets can specifically enhance your living space. These particular Point Sheets are certified as environmentally friendly, which can be used in a variety of ways. Complete all your DIY interior tasks with these Point Sheets.

Purpose of Use : walls / closets, desks, display cupboards and any other furniture / various props / doors / sinks etc.
(W) 50cm x (L) 2.5m / (W) 50cm x (L) 15m / (W) 100cm x (L) 30m



Deco Sheet

Deco Sheets are recommended to those who want to have something unique. With Deco Sheets anyone can create a specific atmosphere at ease. With many designs to choose from, select those which match your taste and mood. Deco Sheets can also be used for patching and refurbishing old furniture, as well as having many other uses.

Purpose of Use : walls / closets, desks, display cupboards and any other furniture / various props / doors / sinks etc.
(W) 50cm x (L) 15m / (W) 100cm x (L) 30m



Wood Pattern Sheet

These veneer-styled sheets can create a cozy interior atmosphere, as they have a vintage and natural look. Easy and quick to apply, you'll be able to create a stunning environment with the wood theme, completing the DIY task that can take others very long to complete with normal wallpaper.

Purpose of Use : walls / closets, desks, display cupboards and any other furniture / various props / bedroom doors / sinks etc.
(W) 50cm x (L) 2.5m / (W) 50cm x (L) 15m / (W) 100cm x (L) 30m



Painted Wood Sheet

To the neat solid color, natural sentiment of a sheet with wood patterns is added.

Purpose of Use : walls / closets, desks, display cupboards and any other furniture / various props / bedroom doors / sinks etc.
(W) 50cm x (L) 15m / (W) 100cm x (L) 30m




1. Introduction (Wall Decoration)

Wall Border Sheet

For those who want to have a stylish interior decoration, these Wall Border Sheets will just do the job. You can revamp your boring-looking living space into a classy and chic environment by applying these Wall Border Sheets providing that specific focal point to any space. They will certainly brighten up any room and will surely complete the whole look of the area.

Purpose of Use : walls / display cupboards and any other furniture etc.
(Refer to each product dimensions)



WINDOW SHEET SERIES

2

We introduce the Window Sheet Series which not only completes your interior decoration, but also blocks harmful UV lights. It provides indirect lighting effect gracefully illuminating any room, and also has a safety proof function preventing secondary accidents from glass fragments.

Soft-feel Sheet

This is a sheet without getting any scratches thanks to the special surface coating.

Purpose of Use : walls / closets, desks, display cupboards and any other furniture / various props / bedroom doors / sinks etc.
(W) 50cm x (L) 2.5m / (W) 50cm x (L) 15m / (W) 100cm x (L) 30m



Static Window Sheet

Compared to normal window sheets, these specific Static Window Sheets do not have an adhesive layer, but use natural statics to attach onto walls. With these Static Window Sheets, the process of applying them will be very simple with no stickiness, and anyone will be able to easily and quickly install them. All our Static Window Sheets prevent secondary accidents from glass fragments due to its safety proof function.

Purpose of Use : glass windows / display cupboard windows / shower booths / show windows / other glass surfaces etc.
(W) 100cm x (L) 1.8M / (W) 100cm x (L) 30M



1. Introduction (Window Sheet)

FIXPIX DIY Decorative Sheets & Stickers

Low-end Static Window Sheet

Compared to normal window sheets, these specific Static Window Sheets do not have an adhesive layer, but use natural statics to attach onto walls. With these Static Window Sheets, the process of applying them will be very simple with no stickiness, and anyone will be able to easily and quickly install them. All our Static Window Sheets block UV light as well as preventing secondary accidents from glass fragments due to its safety proof function.

Purpose of Use : glass windows / display cupboard windows / shower booths / show windows / other glass surfaces etc.
[W] 90cm x (L) 30M / [W] 100cm x (L) 30M / [W] 120cm x (L) 30M



UV-Pattern Window Sheet

The UV-Pattern Window sheet which meets both an UV protection and interior decoration. You can create an elegant and soft atmosphere with designs of various patterns using a PET material which has an indirect lighting effect and a shatterproof function.

Purpose of Use : glass windows / display cupboard windows / shower booths / show windows / other glass surfaces etc.
[W] 100cm x (L) 50M



Glass Sheet

Our Window Sheets allow softer light to enter through the window, while blocking harmful UV lights. It can additionally provide a touch of lighting effect as the window sheets will provide a certain hue to the room. What is more effective is the safety proof function of the window sheets, which will prevent secondary accidents from glass fragments. Made from PVC, there are many patterns and designs to choose from, and so you'll be able to create that perfect atmosphere.


Purpose of Use : glass windows / display cupboard windows / shower booths / show windows / other glass surfaces etc.
[Refer to each product dimensions]



Pattern Window Sheet

Our Window Sheets allow softer light to enter through the window, while blocking harmful UV lights. It can additionally provide a touch of lighting effect as the window sheets will provide a certain hue to the room. What is more effective is the safety proof function of the window sheets, which will prevent secondary accidents from glass fragments. Made from PET and PVC, there are many patterns and designs to choose from, and so you'll be able to create that perfect atmosphere.

Purpose of Use : glass windows / display cupboard windows / shower booths / show windows / other glass surfaces etc.
[W] 92cm x (L) 50M



SOOWALL SHEET SERIES


3

This product is an adhesive DIY sheet that you can just attach to the porch or a balcony as it is if any repair is required.

Soowall Sheet

This product is an adhesive DIY sheet that you can just attach to the porch or a balcony as it is if any repair is required.

Purpose of Use : living room / room / veranda / entrance / office etc.
[W] 100cm x [L] 25M



KITCHEN & HOME APPLIANCE SHEET SERIES

4

These particular Sheet Series will provide a bright, sharp and distinctive look to your kitchen, and uplift the atmosphere of your home. You'll be able to refurbish your old kitchen furniture and home furniture, as well as covering your worn walls resulting in a sophisticated interior. As these Sheet Series are sticker-based, anyone will be able to easily apply the wall sheets.

Cushioned Tiles Sheet

These sheets maintain the natural feel of normal tiles and the patterns of the sheets provide the three dimensional aspect. With this in mind, you'll be able to perfectly decorate your kitchen or bathroom in your own unique way.

Purpose of Use : walls / bathroom walls / kitchen walls etc.
[W] 50cm x [L] 15M



1. Introduction (Kitchen Sheet)

FIXPIX DIY Decorative Sheets & Stickers

High Glossy Sheet

High Glossy Sheets are a simple yet neat way to redecorate any space. The soft pearl (metal powder) sheets are iridescent and will change according to your perspectives. You'll be able to refurbish, for example, your kitchen furniture or sink area, and brighten the whole ambience of the space. They can be simply cleaned down with water or a damp cloth and will be easy to maintain.

Purpose of Use : sinks / fridges / air conditioner / furniture / home appliance etc.
(W) 50cm x (L) 2M / (W) 50cm x (L) 15M / (W) 100cm x (L) 30M



Metal Sheet

This metal sheet is suitable for reformation of home appliances, which is available for the renovation with a modern and metallic style.

Purpose of Use : sinks / fridges / air conditioner / furniture / home appliance etc.
(W) 100cm x (L) 30M



Cubic High Glossy Sheet

By combining the High Glossy Sheets with a hologram concept, we have created the sparkling Cubic High Glossy Sheets. These particular Cubic High Glossy Sheets are upgraded and you'll be able to feel the high quality. You can redecorate your kitchen by applying it on your worn kitchen furniture or your sink area to enhance the quality and character of your kitchen. The sheets can be simply cleaned down with water or a damp cloth and will be easy to maintain.

Purpose of Use : sinks / fridges / air conditioner / furniture / home appliance etc.
(W) 50cm x (L) 2M / (W) 50cm x (L) 15M / (W) 100cm x (L) 30M



METAL & URETHANE TILE SERIES

5

Made of aluminum material, metal tile helps create refined and luxurious interior space. The maintenance costs can be minimized due to its strong durability. Urethane tile is a tile sheet in a sticker type that is convenient for cutting and install.

Urethane Tile Sheet

This is a tile sheet in a sticker type that is convenient for cutting and install.


Purpose of Use : Kitchen / bathroom / furniture / door etc.
(W) 25.4cm x (L) 25.4cm / (W) 28.5cm x (L) 25.4cm / (W) 29.3cm x (L) 21.2cm / (W) 30.5cm x (L) 30.5cm



Metal Tile Sheet

The metal tile sheets can be used the same way as a sticker without using tile bond. We would like to introduce our new metal tile sheets that can be easily constructed to be attached wherever you want. These splendid metal tile sheets can look different depending on the light and can produce high-end and chic spaces for a kitchen or a bathroom etc. With the sheets, you can complete your own DIY decoration for little furniture and accessories by cutting them into pieces.

Purpose of Use : kitchen / bathroom / furniture etc.
(W) 30cm x (L) 30cm / (W) 30.5cm x (L) 30.5cm / (W) 35.5cm x (L) 30.5cm



1. Introduction (Decoration Sticker)

DECORATION STICKER SERIES

6

We introduce you to the Decoration Sticker Series : stickers which you can freely and easily apply to your interior space. With one sticker you'll be able to create that natural, modern, romantic or character themed look. Create your unique living space matching to your own style. You can decorate your child's room, bedroom, living room, kitchen or any other room you would like to transform.

Eco-friendly Small Point Sticker

Create your own unique living space with our Small Point Stickers as they can transform a dull looking interior into a smart and stylish one. As the stickers have a removable feature, they will not leave any black residue or marks on your surface when removed. The stickers use certified material that is environmentally friendly, and you'll be able to create a stunning atmosphere quickly and easily.

Purpose of Use : living room wall / bathroom wall / kitchen wall / entrance ways / bathrooms / bedroom doors / windows / furniture / equipment and props etc.
(W) 35cm x (L) 50cm



Eco-friendly Point Sticker

With vibrant color and a variety of designs, these point stickers can be applied to give focal points to dull, plain walls. As the stickers have a removable feature, they will not leave any black residue or marks on your surface when removed. Also, the certified material used is environmentally friendly and will certainly make it easier for you to apply and decorate your room in a bright manner.

Purpose of Use : living room wall / bathroom wall / kitchen wall / entrance ways / bathrooms / bedroom doors / windows / furniture / equipment and props etc.
(W) 50cm x (L) 70cm




Light Switch Cover Sticker

Our Light Switch Cover Stickers tell a small yet charming story, and as there are a variety of designs to choose from, you'll be able to choose your own cute design.

You can decorate your own living space or provide a focal point to your necessary props and equipment.

Purpose of Use : Around light switches / small walls / entrance ways / bathrooms / windows / furniture / equipment and props etc.
(W) 17.5cm x (L) 25cm



MURAL & DOOR SERIES



The Mural Series is perfect when you have a plain wall or worn out area to redecorate. Rather than wasting time going through several procedures hanging new wallpaper, you'll be able to easily apply and remove the sticker type designs and create a focal point with our Mural Series. You will not need any adhesives as the stickers already have an adhesive layer. Anybody will be able to apply the stickers and they can be easily wiped and cleaned with a damp cloth. The Mural Series can be applied anywhere from children's rooms to living rooms, corridors and front doors.

Door Sheet

These Door Sheets can be used to refurbish and redecorate your old and worn out front door. There are several designs such as panel-patterned sheets, and of course you can use these to mend small areas of the door that are worn out.

Purpose of Use : front doors / bedroom doors / other doors etc.
 [W] 100cm x [L] 210cm



Mural Sheet

When you feel like redesigning your interior you can save time in applying these Mural Sheets, rather than having to go through long and complicated procedures when hanging new wallpaper. For example, if you have a plain wall or would like to redecorate your front door, these mural sheets can provide the perfect focal point and can refresh the ambience of the interior decor.

Purpose of Use : walls / front door / bedroom doors / children's rooms / corridors etc.
 [W] 100cm x [L] 250cm



POV (Point of View) Window Film

Functional Luxurious Window Film

HYUNDAE *sheet*

www.hyundaesheet.co.kr


JK Tech. Co., Ltd
- POV Official Distribution Partner

POV
Hyundai Window Film

HYUNDAE *sheet*

POV
2022 New Collection **HIU**

• Compositions



Brand Identity

POV (Point of View) is a luxurious window film brand, launched by Hyundai Sheet Co, by upgrading the existing window film to one step above. It is a glass-exclusive use film which supports the possibility of various designs, while having great functions including; reduced energy consumption; UV intercept; prevent a glass scattering and protection from privacy invasion at the present, when green housing and green building of low-carbon and green-growth are becoming the global issues. Applied high quality 'Matt Printing Technology', provides three-dimensional texture with harmony of two contrasting texture.

Primary Application

display cupboard windows · shower booths · veranda glass · show windows · other glass surfaces etc. (Glass Only)

• Characteristics

Intercepting 98% of Detrimental UV Light

- Protects body from diseases including liver spots, freckles, skin aging
- Prevents furniture, curtain and wallpaper from bleaching or changing in color

Shatter-Proof Safety Function

- Safety secured by preventing damages to glass and preventing secondary accidents from glass fragments
- Pressure sensitive adhesive for advanced safety film is used
- Thickness same to safety film(2mil)

Protection of Privacy

- Product desorption of shrinking or lapsing is prevented to prevent contamination from adhesive after installation

6 heavy metals are not detected

- 6 heavy metals (Pb, Cd, Cr6+, Hg, PBBs, PBDEs) are not detected

Outstanding Dimensional Stability

- Product desorption of shrinking or lapsing is prevented to prevent contamination from adhesive after installation

Improvement of Surface Strength

- Resistant to scratches durable without bleaching and color change
- SR Coating : 2H Anti-scratch coating applied


Interior Design Effect

- Possible to direct interior space simply and freely by applying various patterns and etching design
- Black and white patterns of great print quality or natural etching glass effect

INDEX

<p>01 NEW</p> <p>(W)1525mm 88204</p>	<p>02 NEW</p> <p>(W)1525mm 88205</p>	<p>03 NEW</p> <p>(W)1525mm 88212</p>	<p>04 NEW</p> <p>(W)1525mm 88214</p>	<p>05 NEW</p> <p>(W)1525mm 88215</p>	<p>06 NEW</p> <p>(W)1525mm 88231</p>	<p>07 NEW</p> <p>(W)1525mm 88294</p>	<p>08 NEW</p> <p>(W)1525mm 88295</p>	
<p>09</p> <p>WHITE 70%</p> <p>88000</p>	<p>10</p> <p>88001</p>	<p>11</p> <p>88091</p>	<p>12</p> <p>(W)1525mm 88201</p>	<p>13 NEW</p> <p>(W)1525mm 88291</p>	<p>14</p> <p>88092</p>	<p>15</p> <p>(W)1525mm 88292</p>	<p>16 NEW</p> <p>(W)1525mm 88290</p>	
<p>17</p> <p>88011</p>	<p>18</p> <p>88012</p>	<p>19</p> <p>88095</p>	<p>20</p> <p>88098</p>	<p>21</p> <p>88005</p>	<p>22</p> <p>88016</p>	<p>23</p> <p>88093</p>	<p>24</p> <p>88105</p>	<p>25 NEW</p> <p>조류충돌 방지필름</p> <p>(W)1525mm 88041</p>

POV



2. Specifications

POV Functional Window Film

Performance		Pattern NO.	NEW	NEW	NEW	NEW	NEW	NEW	NEW	NEW	NEW	NEW	NEW	
		88204 Rattan Line	88205 Pin Dot	88212 Woven Stripe	88214 Stripe Tile	88215 Fabric Triangle	88231 Star Map	88294 Dia Gradaion	88295 White Cube	88000 White Matt	88001 Dot Gradation	88091 Dot Gradation (Black)	88201 Dot Gradation	88291 Dot Gradation (Black)
Solar Heat 태양열	Transmittance 투과율 (%)	56	56	56	56	56	56	56	56	-	77	74	58	3
	Reflectance 반사율 (%)	33	33	33	33	33	33	33	33	-	12	11	16	8
	Absorptance 흡수율 (%)	11	11	11	11	11	11	11	11	-	11	13	27	89
Visible Ray 가시광선	Transmittance 투과율 (%)	56	56	56	56	56	56	56	56	31	77	74	4	1
	Reflectance 반사율 (%)	39	39	39	39	39	39	39	39	-	12	18	19	8
	Absorptance 흡수율 (%)	11	11	11	11	11	11	11	11	-	11	8	28	89
Total Solar Energy Rejected 태양에너지 반사율 (%)		41	41	41	41	41	41	41	41	-	20	19	36	74
Shading Coefficient 차폐계수		0.68	0.68	0.68	0.68	0.68	0.68	0.68	0.68	-	0.91	0.90	0.76	0.38
UV Rejected UV 차단율 (%)		99	99	99	99	99	99	99	99	98	98	98	99	99
Thickness 두께 (mil)		2	2	2	2	2	2	2	2	2	2	2	2	2
Structure 구조 (ply)		1	1	1	1	1	1	1	1	1	1	1	1	1
SR Coating 연필강도 (H)		2	2	2	2	2	2	2	2	2	2	2	3	2

2. Specifications

POV Functional Window Film

Performance		NEW											NEW		
		88092 Centre Gradation	88292 Centre Gradation	88290 Centre Gradation (Black)	88011 GM Stripe (White)	88012 GM Stripe (Black)	88095 Safety Mesh (White)	88098 Safety Mesh (Black)	88005 White Dot	88016 White Drip	88093 Frost Gradation	88105 Crystal	88041 Bird Guard Window Film 조류충돌 방지필름	테스트 결과	
Solar Heat 태양열	Transmittance 투과율(%)	77	49	3	72	72	89	89	79	81	76	62	Shatter Resistance 비산 방지 성능	유리판 큰 파편 10조각 무게(g)	0
	Reflectance 반사율(%)	12	43	8	16	15	6	6	11	9	11	16		유리판 큰 파편 낙하 1조각 무게(g)	0
	Absorptance 흡수율(%)	11	7	89	12	13	10	10	10	10	10	13		22	유리판 큰 파편 10조각 무게(g)
Visible Ray 가시광선	Transmittance 투과율(%)	76	48	1	66	74	86	86	82	83	78	55		유리판 큰 파편 낙하 1조각 무게(g)	0
Visible Ray 가시광선	Reflectance 반사율(%)	11	58	8	17	17	5	5	13	12	14	23	Visible Ray Transmittance 가시광선 투과율(%)	88.1	
	Absorptance 흡수율(%)	11	9	89	17	9	10	10	5	5	11	23	Adhesion Strength 접착 강도(N/10mm)	9.2	
	Total Solar Energy Rejected 태양에너지 반사율(%)	19	49	74	21	21	19	19	20	20	18	31	Tensile Strength 인장 강도(N/10mm)	100	
Shading Coefficient 차폐계수	0.90	0.59	0.38	0.91	0.90	0.90	0.90	0.90	0.93	0.90	0.90	0.81	Tensile Strain 신장률(%)	107	
UV Rejected UV 차단율(%)	98	99	99	98	98	98	98	98	98	98	98	98	Weatherproof 색차(ΔE*ab) - 내후성	0.3	
Thickness 두께(mil)	2	2	2	2	2	2	2	2	2	2	2	2	UV Rejected UV 차단율(%)	99.9	
Structure 구조(ply)	1	1	1	1	1	1	1	1	1	1	1	1	Thickness 두께(mil)	2	
SR Coating 연필강도(H)	2	2	2	2	2	3	2	2	2	2	2	2	Structure 구조(ply)	2	

DECORIA Luxury Vinyl Tiles (LVT)

The prestigious luxury vinyl floor



DECORIA

The Prestigious name of luxury vinyl floor from Korea

DAEJIN is the first company introduced Luxury Vinyl Tile in Korea, and is supplying newly developed eco-friendly products to world customers. Our international activities cover all around the world including USA, Europe and many other countries you know, by providing Loose-lay tiles which can be installed without adhesive and anti-scratch durable UV products to overseas market. We will continue our efforts and challenges to fulfill customer satisfaction.

Merits of DECORIA Tiles



High Density PU Coating

Im proved PU coating enhances protection from scratches, and assures comparably longer life times.



Eco-friendly Material

Products made with recycled material improves environmental protection. Virgin product is also available upon customer's request.



Glass Fiber Sheet

Additional glass fiber layer can improve dimensional stability by minimizing shrinkage and expansion of product.



Various Color / Pattern Design Collection

Various colors and patterns with more than 500 of selection allows you find most suitable design for your flooring.



Glueless Installation

Non-slip of assembly technology allows easy installation with no use of adhesive.

Certificates



- EPA Certificate (United States Environmental Protection Agency)
- Floor Score
- KS Certificate (Korea Standards Association)
- Quality Management System (GERMAN CERT)
- Environmental Management System (GERMAN CERT)
- European International Standards
- Hygienic & Fire Certificate (Russia)
- Environmental Product Declaration (Korea Environmental Industry & Technology Institute)
- Eco-Label (Korea Environmental Industry & Technology Institute)
- Environmental Product Declaration (SCS global services)

Extra Wide and Long Wood Flooring

- New original wood flooring design with extended size
- Size : 9" × 60" (228.6mm × 1,524mm)
- Realized natural variety of real wood
- Shows interior of satisfying appearances.



228.6mm × 1,524mm



184mm × 950mm

Extra Wide Design Square Tiles

- New original square tiles with extended size
- Size : 600mm × 600mm
- Realized natural variety of real wood
- Shows interior of satisfying appearances.




600mm × 600mm




470mm × 470mm

Looselay-NS Environment-friendly glueless luxury vinyl tile

- High density PU coating
- Apply of US EPA approved organic and inorganic hybrid antibacterial agents
- Improved stability in environment of severe temperature change with reinforced glass fiber
- Easy installation free from adhesives
- Non-slip function prevent product slip from surface




Product Specification		(mm)
Thickness	Wear Layer	Product Size
5 mm	0.3	177.8 × 1,219.2 (7" × 48")
	0.5	228.6 × 1,219.2 (9" × 48")
	0.7	228.6 × 1,524 (9" × 60")
		470 × 470
		600 × 600




Dryback Eco-friendly functional flooring

- High density PU coating
- Apply of US EPA approved organic and inorganic hybrid antibacterial agents
- Various color and pattern design collection
- Various sizes




ECORIA Acoustic Noise absorbing luxury vinyl tiles for silent residential environment

- High density PU coating
- Apply of US EPA approved organic and inorganic hybrid antibacterial agents
- Improved stability in environment of severe temperature change with reinforced glass fiber
- Easy installation free from adhesives
- Non-slip function prevent product slip from surface
- Realize quiet environments with noise absorbing layer



ECORIA DSPC Rigid Core without containing wooden material

- High density PU coating
- Apply of US EPA approved organic and inorganic hybrid antibacterial agents
- Improved stability in environment of severe temperature change, with reinforced glass fiber
- Easy installation free from adhesives
- Various colors and pattern design collection



Product Specification (mm)

Thickness	Product Size
4.5 mm	169 × 1,210
6.0 mm (IXPE 1.5 mm)	

■ IXPE layer optional 1.5 mm



Quick and Easy Click Installation


2 Tone Shade Change Single tone design into Multiple Shade design

- Multi shade design from Daejin's special methods.
- Realized modern style color variation flooring.
- Several Color tone patterns in one carton



ECORIA Click Glueless luxury vinyl plank with patented technology

- High density PU coating
- Apply of US EPA approved organic and inorganic hybrid antibacterial agents
- Improved stability in environment of severe temperature change with reinforced glass fiber
- Easy installation free from adhesives



Product Specification (mm)

Thickness	Product Size
4 mm	175 × 935
5 mm	170 × 1,210
6 mm	169 × 1,204.5



4 Side Micro Bevel



Quick and Easy Click Installation

2. Specifications

Dryback (Glue down)

Thickness	Wearlayer (mm)	Width & Length (mm / Inch)	per CTN	20FT Container Loading Quantity
2 mm	0.1 0.2 0.3	184 x 950	28 pcs (4.89 SQM)	4,890 sqm (1,000CTN)
		187 x 935	28 pcs (4.89 SQM)	4,890 sqm (1,000CTN)
		177.8 x 1219.2 (7" x 48")	22 pcs (4.77 SQM)	4,770 sqm (1,000CTN)
		470 x 470	22 pcs (4.86 SQM)	4,860 sqm (1,000CTN)
2.5 mm	0.2 0.3 0.5	184 x 950	23 pcs (4.02 SQM)	4,020 sqm (1,000CTN)
		187 x 935	23 pcs (4.02 SQM)	4,020 sqm (1,000CTN)
		177.8 x 1219.2 (7" x 48")	18 pcs (3.90 SQM)	3,900 sqm (1,000CTN)
		184 x 950	19 pcs (3.32 SQM)	3,320 sqm (1,000CTN)
3 mm	0.1 0.2 0.3 0.5 0.7	187 x 935	19 pcs (3.32 SQM)	3,320 sqm (1,000CTN)
		177.8 x 1219.2 (7" x 48")	15 pcs (3.25 SQM)	3,250 sqm (1,000CTN)
		228.6 x 1219.2 (9" x 48")	13 pcs (3.62 SQM)	3,620 sqm (1,000CTN)
		228.6 x 1524 (9" x 60")	13 pcs (4.53 SQM)	3,298 sqm (728CTN)
		314 x 625 (12" x 24")	18 pcs (3.53 SQM)	3,530 sqm (1,000CTN)
		470 x 470	15 pcs (3.31 SQM)	3,310 sqm (1,000CTN)
		600 x 600	9 pcs (3.24 SQM)	3,240 sqm (1,000CTN)
		1524 x 914.4 (6" x 36")	24 pcs (3.34 SQM)	3,340 sqm (1,000CTN)

Loose Lay (Non-Slip, Rubber, Dryback)

Thickness	Wearlayer (mm)	Width & Length (mm / Inch)	per CTN	20FT Container Loading Quantity
5 mm	0.3 0.5 0.7	7" x 48"	10 pcs (2.17 SQM)	2,170 sqm (1,000CTN)
		9" x 48"	8 pcs (2.23 SQM)	2,230 sqm (1,000CTN)
		9" x 60"	8 pcs (2.79 SQM)	2,031 sqm (728CTN)
		470 x 470	10 pcs (2.21 SQM)	2,210 sqm (1,000CTN)
		600 x 600	7 pcs (2.52 SQM)	2,520 sqm (1,000CTN)

Click System

Thickness	Wearlayer (mm)	Width & Length (mm / Inch)	per CTN	20FT Container Loading Quantity
4.3 mm	0.3 / 0.5	169 x 1210	10 pcs (2.04 SQM)	2,040 sqm (1,000CTN)
5 mm	0.3 / 0.5 / 0.55	169 x 1210	10 pcs (2.04 SQM)	2,040 sqm (1,000CTN)

Acoustic (Non-Slip)

Thickness	Wearlayer (mm)	Width & Length (mm / Inch)	per CTN	20FT Container Loading Quantity
5 mm	0.5	184 x 950	10 pcs (1.78 SQM)	1,780 sqm (1,000CTN)
		7" x 48"	10 pcs (2.17 SQM)	2,170 sqm (1,000CTN)

DSPC (Click System)

Thickness	Wearlayer (mm)	Width & Length (mm)	per CTN	20FT Container Loading Quantity
4.5 mm	0.3 / 0.5	169 x 1210	9 pcs (1.84 SQM)	2,208 sqm (1,200CTN)
6 mm (IXPE 1.5 mm)				

■ IXPE layer optional: 1.5 mm

Specific Measurements of DECORIA

Type & Composition	PVC Laminated Floor Covering	
Application	Application Commercial, Residential	
Surface Treatment	Surface Treatment PU & Anti-bacterial Per design	
Profile	Profile Beveled / Non-beveled, Per design	
Tile Size(mm)	EN 427	470 x 470, 184 x 950
Total Thickness(mm)	ISO 24346 (EN 428)	3.0
Wear Layer Thickness (mm)	ISO 24340 (EN 429)	0.3 0.5 0.7
Fire Rating	EN 13501-1 Bfl - S1 Mekel Burner Test	Bfl - S1 Pass
Heat Stability	KSM 3802	0.3mm / 0.05 (80°C + 2°C , 6hr / hr)
Slip Resistance	BS 7976-2	PVC Laminated Floor Covering RZ Surface Roughness : Moderate
Residual Indentation	EN ISO 24343-1 (EN 433)	≤ 0.10 mm
Color Fastness	ISO 105-B02	≥ 6
Dimensional Stability	ISO 23999 (EN 434)	≤ 0.25%
Flexibility	EN 435	No Crack was found
Electrical Behavior	EN 1081	Pass

PASECO Electronic Appliances

Electronic Kitchen & Home Appliances




1. Dual Inverter Window Air Conditioner



Dual (Twin) Inverter
PWA-3300W

Rated voltage	220V~, 60Hz (50Hz)
Power Consumption	725W
Product Size	330*277*855mm (W*D*H)
Product weight	20.5Kg (N.W)
Cooling capacity	2,350 (19m ²)
Dehumidifying Capacity	32.2 (L/Day) (by KTC)
Temperature setting	18~30°C
Noise Level (Sleeping mode)	37.1 (by KTC)
Reservation time	1~12hr
Drainage system	Self-evaporating system
Refrigerant	410A
Compressor	LG Dual (Twin) Inverter Compressor



1. Dual Inverter Window Air Conditioner



Wide air conditioning up to 120°



Daily 32.2L dehumidification Capability



Noise Test: 37.1dB




Windows open Windows closed Window lock available

Unobtrusive clean back



Tighten the bolts to secure the installation kit. Mount the installation kit on the window. Install the air conditioner in the installation kit

Easy Installation by anyone



Fast Cooling Technology



Front Side Back side

One-piece type (no requirement of outdoor unit)



Self-evaporation



Installed to the height of the window

01 Built-in

Premium induction cooktop | Hybrid Cooktop | Electric cooktop | Gas cooktop | Hood | Rice refrigerator | Dish cloth cutting board sterilizer | Dishwasher | Dish dryer | Bidet | Food spin-dryer | Laundry drying rack



02 Kitchen

Kimchi refrigerator with freezer | Gas stove | Non-installation dishwasher | Electric grill | Cutting board sterilizer



03 Living

Body dryer | Clothes care appliance | Mini washing machine



04 Cool

Window-type air conditioner | Circulator | Fan | Industrial fan | Mosquito trap





For more information
(products & technical data),
please refer to 'PASECO Catalog'

SHINHO Deco Foil (sheet)

PVC/PP/PET Deco sheet and Flooring sheet





The sheets laminating produced through specialized integrated production system of SHINHO INDUSTRY

ECOTEC

Exported to many countries, it is manufactured by the calender line - the latest automation equipment – having smooth surface, gloss, dimensional stability, and excellent gravure property for decorating. It is used for high-grade deco sheet, building materials, and interior sheet which requires delicate color expressions.

ECOTECTURE



LVS

With SOUNDPROTEC noise prevention technology, the LVS provides a comfortable walk with noise absorption. LVS, which can be built in every space of the house, from frequent walking or humid spaces, provides a durable floor with a similar appearance to natural materials. Experience LVS with practical durability to fit in with sophisticated space production.

ECOTECHTURE

2D Foil

2D foil

For interior doors, furniture components, door frames, floor boars, or window boards, our special thermoplastic 2D foils can be used. With an impressive range of colors, effects, gloss levels, surface designs, and surface embossing, we will satisfy your individual requirements.

Overview of all features

1. Does not contain plasticizers (for special products).
2. Free from heavy metals.
3. Resistant to stains.
4. Scratch and wear resistance by special coating.
5. Light fast and UV resistance.
6. High elasticity and toughness.
7. Excellent embossing stability.
8. Primer or corona (for PP foils) possible.



ECOTECTURE



3D Foil

1. Perfect solutions for every area of application

3D foils are suitable for difficult profile geometries with the smallest manufacturing tolerances and offer versatile application options for furniture fronts, furniture elements, and interior doors.

Our 3D hard foils stand out with the highest visual consistency, excellent processing properties and functional characteristics as well as extreme durability. All 3D foils are free from softeners, heavy metals, and other impurities that are dangerous to health.

2. 3D Applications

Our 3D foils are used for the manufacture of kitchen, bedroom and bathroom furniture components.

The surface of our 3D foils is coated with a scratch-resistant lacquer that protects the material in use and helps withstand wear and tear. The back of the film is coated with a special primer to promote a durable and lasting bond.

The primer has been specifically developed to be compatible with the world's leading adhesive systems.

Our 3D foils are supplied as decorative surfacing for lamination to MDF using a thermoforming process.

Designers have the flexibility to combine these materials to produce beautiful furniture and create stunning interior projects. With our limitless possibilities, we also offer innovative solutions for retail interiors, hospitality areas and office spaces.

LVS

FEATURES

1. EMT™ Core SOUNDPROTEC technology with a more silent noise absorption

LVS has a shock absorption of approximately 1.4 times as much as the floor. The dense cushion layer with EMT™ Core-5D absorbs the shocks and provides a great sense of walking.


2. EPT™ Shield & EMT™ Core Technology

EMT™ Core – a more robust multilayer method

- EMT™ Core structure is strong for stamping with solid product durability, and excellent floor stability for good construction.
- The thickness of the product remains uniform and does not cause a difference

EPT™ Shield – safer premium natural matte coating

- NO phthalate plasticizer! Heavy metal content Zero!
- Eco-friendly certified flooring materials using eco-friendly plasticizer
- A flooring material that prevents the growth of fungi, which is more hygienic and clean.
- Slip resistant floor 1.5 times better than plywood floor/steel floor.



SPECIFICATION

LVS 1.8T	LVS 2.2T	LVS 3.2T	LVS 4.5T
Thickness 1.8T	Thickness 2.2T	Thickness 3.2T	Thickness 4.5T
Width : 1.83M	Width : 1.83M	Width : 1.83M	Width : 1.83M
Length : 35M / Roll	Length : 30M / Roll	Length : 23M / Roll	Length : 18M / Roll

USAGE

Kindergarten, School, general housing / Apartment living room / rooms / multipurpose / religious facilities etc.


3. A more original and more natural design

More original design

· Various natural material designs, including terrazzo designs, include herringbone wood, ceramic tiles, and Bianco Carrara

More natural, wooden floor-like 'grand design'

· Longer tree-side design allows for a cooler space.



5. A more hygienic, anti-fungal breeding treatment

A more hygienic and clean anti-fungal breeding flooring material because fungus does not grow

Mold Formation on Specimen (Class 1: Below 10%)



Plain Floor



Mold does not grow



SHINHO LVS+

4. Cleaning and maintenance made easier

Sewing anti-pollution flooring material that is easy to clean and maintain with no fear of foreign substances



6. Slip Test Results

What is slip resistance? A flooring material with non-slip surface coating to ensure stability. The higher the slip resistance factor, the less slippery



For more information (including colors), please visit www.shinhodecor.com



- Thank you -

501, 14, Yangpyeong-ro 30-gil, Yeongdeungpo-gu, Seoul 07202, Korea
Tel: 82-2-2636-7166/Fax: 82-2-2636-7167
www.jksolidsurface.com / jktech2007@naver.com